


**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claims 1-18 (canceled).

Claim 19 (Currently amended): A 2-cyanobenzenesulfonamide compound of the formula I



where

R<sup>1</sup> is C<sub>1</sub>-C<sub>2</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy or C<sub>1</sub>-C<sub>4</sub>-haloalkoxy;

R<sup>2</sup> is hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl, C<sub>2</sub>-C<sub>6</sub>-alkinyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy, wherein the five last-mentioned radicals may be unsubstituted, partially or fully halogenated and/or may carry one, two, or three radicals selected from the group consisting of C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-alkylthio, C<sub>1</sub>-C<sub>4</sub>-alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>-alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkylthio, C<sub>1</sub>-C<sub>4</sub>-alkoxycarbonyl, cyano, amino, (C<sub>1</sub>-C<sub>4</sub>-alkyl)amino, di-(C<sub>1</sub>-C<sub>4</sub>-alkyl)amino, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl and phenyl, it being possible for phenyl to be unsubstituted, partially or fully halogenated and/or to carry one, two or three substituents selected from the group consisting of C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy; and

R<sup>3</sup>, R<sup>4</sup> and R<sup>5</sup> are independently of one another selected from the group consisting of hydrogen, halogen, cyano, nitro, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-

alkoxy, C<sub>1</sub>-C<sub>4</sub>-alkylthio, C<sub>1</sub>-C<sub>4</sub>-alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>-alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkylthio, C<sub>2</sub>-C<sub>6</sub>-alkenyl, C<sub>2</sub>-C<sub>6</sub>-alkinyl, C<sub>1</sub>-C<sub>4</sub>-alkoxycarbonyl, amino, (C<sub>1</sub>-C<sub>4</sub>-alkyl)amino, di-(C<sub>1</sub>-C<sub>4</sub>-alkyl)amino, aminocarbonyl, (C<sub>1</sub>-C<sub>4</sub>-alkyl)aminocarbonyl and di-(C<sub>1</sub>-C<sub>4</sub>-alkyl)aminocarbonyl;

and/or the agriculturally useful salts thereof.

Claim 20 (Canceled)

Claim 21 (Canceled)

Claim 22 (Canceled)

Claim 23 (Canceled)

Claim 24 (Currently amended): A compound as claimed in claim ~~[[23]]~~ 19 wherein in formula I R<sup>1</sup> is C<sub>1</sub>-haloalkoxy.

Claim 25 (Original): A compound as claimed in claim 24 wherein in formula I R<sup>1</sup> is difluoromethoxy.

Claim 26 (Original): A compound as claimed in claim 19 wherein in formula I R<sup>2</sup> is selected from the group consisting of hydrogen, a hydrocarbon radical having from 1 to 4 carbon atoms, C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkylthio-C<sub>1</sub>-C<sub>4</sub>-alkyl and C<sub>2</sub>-C<sub>4</sub>-alkinyl.

Claim 27 (Currently amended): A compound as claimed in claim ~~[[23]]~~ 19 wherein R<sup>2</sup> is hydrogen, methyl, ethyl, 1-methylethyl, or prop-2-yn-1-yl.


Claim 28 (Original): A compound as claimed in claim 19 where in formula I at least one of the radicals R<sup>3</sup>, R<sup>4</sup> and R<sup>5</sup> is different from hydrogen.

Claim 29 (Original): A compound as claimed in claim 28 where R<sup>3</sup> is halogen.

Claim 30 (Canceled)

Claim 31 (Canceled)

Claim 32 (Currently amended): An agricultural composition comprising such an amount of at least one compound of the general formula I



where


$R^1$  is ~~C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy or~~ C<sub>1</sub>-C<sub>4</sub>-haloalkoxy;

$R^2$  is hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl, C<sub>2</sub>-C<sub>6</sub>-alkinyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy, wherein the five last-mentioned radicals may be unsubstituted, partially or fully halogenated and/or may carry one, two, or three radicals selected from the group consisting of C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-alkylthio, C<sub>1</sub>-C<sub>4</sub>-alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>-alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkylthio, C<sub>1</sub>-C<sub>4</sub>-alkoxycarbonyl, cyano, amino, (C<sub>1</sub>-C<sub>4</sub>-alkyl)amino, di-(C<sub>1</sub>-C<sub>4</sub>-alkyl)amino, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl and phenyl, it being possible for phenyl to be unsubstituted, partially or fully halogenated and/or to carry one, two or three substituents selected from the group consisting of C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy; and

$R^3$ ,  $R^4$  and  $R^5$  are independently of one another selected from the group consisting of hydrogen, halogen, cyano, nitro, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-alkylthio, C<sub>1</sub>-C<sub>4</sub>-alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>-alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkylthio, C<sub>2</sub>-C<sub>6</sub>-alkenyl, C<sub>2</sub>-C<sub>6</sub>-alkinyl, C<sub>1</sub>-C<sub>4</sub>-alkoxycarbonyl, amino, (C<sub>1</sub>-C<sub>4</sub>-alkyl)amino, di-(C<sub>1</sub>-C<sub>4</sub>-alkyl)amino, aminocarbonyl, (C<sub>1</sub>-C<sub>4</sub>-alkyl)aminocarbonyl and di-(C<sub>1</sub>-C<sub>4</sub>-alkyl)aminocarbonyl;

and/or at least one agriculturally useful salt of I and at least one inert liquid and/or solid agronomically acceptable carrier that it has a pesticidal action and, if desired, at least one surfactant.

Claim 33 (Withdrawn – currently amended): A method of combating animal pests which comprises contacting the animal pests, their habit, breeding ground, food supply, plant, seed, soil, area, material or environment in which the animal pests are growing or may grow, or the materials, plants, seeds, soils, surfaces or spaces to be protected from animal attack or infestation with a pesticidally effective amount of at least one 2-cyano-benzenesulfonamide compound of the general formula I



where

$R^1$  is ~~C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy or C<sub>1</sub>-C<sub>4</sub>-haloalkoxy~~;

$R^2$  is hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl, C<sub>2</sub>-C<sub>6</sub>-alkinyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy, wherein the five last-mentioned radicals may be unsubstituted, partially or fully halogenated and/or may carry one, two, or three radicals selected from the group consisting of C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-alkylthio, C<sub>1</sub>-C<sub>4</sub>-alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>-alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkylthio, C<sub>1</sub>-C<sub>4</sub>-alkoxycarbonyl, cyano, amino, (C<sub>1</sub>-C<sub>4</sub>-alkyl)amino, di-(C<sub>1</sub>-C<sub>4</sub>-alkyl)amino, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl and phenyl, it being possible for phenyl to be unsubstituted, partially or fully halogenated and/or to carry one, two or three substituents selected from the group consisting of C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy; and

$R^3$ ,  $R^4$  and  $R^5$  are independently of one another selected from the group consisting of hydrogen, halogen, cyano, nitro,  $C_1$ - $C_6$ -alkyl,  $C_3$ - $C_8$ -cycloalkyl,  $C_1$ - $C_4$ -haloalkyl,  $C_1$ - $C_4$ -alkoxy,  $C_1$ - $C_4$ -alkylthio,  $C_1$ - $C_4$ -alkylsulfinyl,  $C_1$ - $C_4$ -alkylsulfonyl,  $C_1$ - $C_4$ -haloalkoxy,  $C_1$ - $C_4$ -haloalkylthio,  $C_2$ - $C_6$ -alkenyl,  $C_2$ - $C_6$ -alkinyl,  $C_1$ - $C_4$ -alkoxycarbonyl, amino, ( $C_1$ - $C_4$ -alkyl)amino, di-( $C_1$ - $C_4$ -alkyl)amino, aminocarbonyl, ( $C_1$ - $C_4$ -alkyl)aminocarbonyl and di-( $C_1$ - $C_4$ -alkyl)aminocarbonyl;


and/or at least one agriculturally acceptable salt thereof.

Claim 34 (Withdrawn): A method as defined in claim 33 where the animal pest is from the order Homoptera.

Claim 35 (Withdrawn): A method as defined in claim 33 where the animal pest is from the order Hymenoptera.

Claim 36 (Withdrawn): A method as defined in claim 33 where the animal pest is from the order Thysanoptera.

Claim 37 (Withdrawn – currently amended): A method for protecting crops from attack or infestation by animal pests which comprises contacting a crop with a pesticidally effective amount of at least one 2-cyano-benzenesulfonamide compound of the general formula I



where

$R^1$  is  ~~$C_1$ - $C_4$ -alkyl,  $C_1$ - $C_4$ -haloalkyl,  $C_1$ - $C_4$ -alkoxy or  $C_1$ - $C_4$ -haloalkoxy;~~

$R^2$  is hydrogen,  $C_1$ - $C_6$ -alkyl,  $C_2$ - $C_6$ -alkenyl,  $C_2$ - $C_6$ -alkinyl,  $C_3$ - $C_8$ -cycloalkyl or  $C_1$ - $C_4$ -alkoxy, wherein the five last-mentioned radicals may be unsubstituted, partially or fully halogenated and/or may carry one, two, or three radicals selected from the group consisting of  $C_1$ - $C_4$ -alkoxy,  $C_1$ - $C_4$ -alkylthio,  $C_1$ - $C_4$ -alkylsulfinyl,  $C_1$ - $C_4$ -alkylsulfonyl,  $C_1$ - $C_4$ -haloalkoxy,  $C_1$ - $C_4$ -haloalkylthio,  $C_1$ - $C_4$ -alkoxycarbonyl, cyano, amino, ( $C_1$ - $C_4$ -alkyl)amino, di-( $C_1$ - $C_4$ -alkyl)amino,  $C_3$ - $C_8$ -cycloalkyl and phenyl, it being possible for phenyl to be unsubstituted, partially or fully halogenated and/or to carry one, two or three substituents selected from the group consisting of  $C_1$ - $C_4$ -alkyl,  $C_1$ - $C_4$ -haloalkyl,  $C_1$ - $C_4$ -alkoxy,  $C_1$ - $C_4$ -haloalkoxy; and

$R^3$ ,  $R^4$  and  $R^5$  are independently of one another selected from the group consisting of hydrogen, halogen, cyano, nitro,  $C_1$ - $C_6$ -alkyl,  $C_3$ - $C_8$ -cycloalkyl,  $C_1$ - $C_4$ -haloalkyl,  $C_1$ - $C_4$ -alkoxy,  $C_1$ - $C_4$ -alkylthio,  $C_1$ - $C_4$ -alkylsulfinyl,  $C_1$ - $C_4$ -alkylsulfonyl,  $C_1$ - $C_4$ -haloalkoxy,  $C_1$ - $C_4$ -haloalkylthio,  $C_2$ - $C_6$ -alkenyl,  $C_2$ - $C_6$ -alkinyl,  $C_1$ - $C_4$ -alkoxycarbonyl, amino, ( $C_1$ - $C_4$ -alkyl)amino, di-( $C_1$ - $C_4$ -alkyl)amino, aminocarbonyl, ( $C_1$ - $C_4$ -alkyl)aminocarbonyl and di-( $C_1$ - $C_4$ -alkyl)aminocarbonyl;

and/or at least one salt thereof.

Claim 38 (Previously presented): A compound as claimed in claim 19, wherein  $R^4$  and  $R^5$  are both hydrogen,  $R^3$  is hydrogen or halogen, and  $R^2$  is selected from the group consisting of hydrogen, a hydrocarbon radical having from 1 to 4 carbon atoms,  $C_1$ - $C_4$ -alkyloxy- $C_1$ - $C_4$ -alkyl,  $C_1$ - $C_4$ -alkylthio- $C_1$ - $C_4$ -alkyl and  $C_2$ - $C_4$ -alkinyl.

Claim 39 (Previously presented): A compound as claimed in claim 38, wherein  $R^3$  is hydrogen or bromine, and  $R^2$  is selected from the group consisting of hydrogen, methyl, ethyl, 1-methylethyl or prop-2-yn-yl.

Claim 40 (Canceled)

Claim 41 (Canceled)

Claim 42 (Canceled)

Claim 43 (Canceled)